

FIG. 1





FIG. 2

FIG. 3




FIG. 4

START OF PRINTING

PRINTER NAME	
JOB INFORMATION (INCLUDING AUTHENTICATION INFORMATION)	401
CLIENT JOB IDENTIFIER (JOB IDENTIFIER)	402

5/23

FIG. 5

END OF PRINTING



PRINTER NAME	
API RETURN VALUE ISSUED AT START OF JOB	403
JOB INFORMATION (INCLUDING AUTHENTICATION INFORMATION)	401
SIZE INFORMATION	
VERSION INFORMATION	
TOTAL NUMBER OF SHEETS DISCHARGED FOR JOB	404
NUMBER OF DETAILED INFORMATION BLOCKS IN JOB	405
POINTER TO DETAILED INFORMATION (BLOCK 1)	
:	
POINTER TO DETAILED INFORMATION (BLOCK N)	406
DOUBLE-/SINGLE-SIDE INFORMATION (BLOCK 1)	
PAPER TYPE INFORMATION (BLOCK 1)	
PAPER SIZE INFORMATION (BLOCK 1)	
COLOR INFORMATION (BLOCK 1)	
INFORMATION ABOUT NUMBER OF PAGES PER SHEET (BLOCK 1)	
NUMBER OF COPIES (BLOCK 1)	
NUMBER OF SHEETS OUTPUT FOR THIS BLOCK (BLOCK 1)	
:	
DOUBLE-/SINGLE-SIDE INFORMATION (BLOCK N)	
PAPER TYPE INFORMATION (BLOCK N)	
PAPER SIZE INFORMATION (BLOCK N)	
COLOR INFORMATION (BLOCK N)	
INFORMATION ABOUT NUMBER OF PAGES PER SHEET (BLOCK N)	
NUMBER OF COPIES (BLOCK N)	
NUMBER OF SHEETS OUTPUT FOR THIS BLOCK (BLOCK N)	

FIG. 6

Canon iR3250 PCL6 Properties

General Ports Scheduling Sharing Security Device Settings Profile

Device Settings: Manual

Paper Source Options: ☒ Side Paper Deck
☒ Envelope Feeder


Output Options:

☒ Duplexing Unit

Extended Memory:

☒ Job Accounting ☐ Allow Password Setting


601 602 603 604

FIG. 7

The figure shows a dialog box titled "ID/Password Settings" with a question mark and close button in the top right corner. It contains two input fields: "ID:" with the value "1111" (labeled 701) and "Password:" with the value "xxxx" (labeled 702). Below these is a "Verify" button (labeled 703). At the bottom, there is a checkbox labeled "Confirm ID/Password when Printing" (labeled 704) which is checked. At the very bottom are "Ok" and "Cancel" buttons.

ID/Password Settings	
ID:	1111
Password:	xxxx
<input type="button" value="Verify"/>	
<input checked="" type="checkbox"/> Confirm ID/Password when Printing	
<input type="button" value="Ok"/> <input type="button" value="Cancel"/>	

FIG. 8



A screenshot of a software dialog box titled "ID/password Settings". The dialog box has a standard Windows-style title bar with a question mark icon and a close button (X). Inside the dialog, there is a label "ID:" followed by a rectangular text input field. A leader line points from the number "701" to this input field. Below the input field, there is a horizontal line. At the bottom of the dialog, there are two buttons: "Ok" and "Cancel".

ID/password Settings

ID:

701

Ok Cancel

FIG. 9




FIG. 10




FIG. 11

Confirm ID/password


Confirm department ID and password.

ID: 1111|

Password: xxxx

Ok Cancel

1101 1102 1103 701 702

FIG. 12

Confirm ID/Password

Confirm department ID and password.

ID: 1111

Password:

Ok Cancel


FIG. 13

FIG. 14





FIG. 15


FIG. 16

FIG. 17




FIG. 18




FIG. 19

19/23

Ganon iR3250 PCL6 Properties

General Details Color Management Sharing Page Setup Finishing Configuration

Profile: Default Settings

Page Size: A4

Output Size: Match Page Size

Copies: 1 [1-999]

Orientation: Portrait Landscape

Page Layout: 1 Page Per Sheet

Manual Scaling: 100 % [25-400]

Watermark: CONFIDENTIAL

Edit Watermark...

Custom Paper Size... Page Options... Restore Defaults

View Settings

Ok Cancel Apply Help

1901

FIG. 20






FIG. 22




FIG. 23